



COEP Technological University

A Unitary Public University of Government of Maharashtra
w.e.f 21st June 2022
(Formerly College of Engineering Pune)

Outward No.: COEPTECH/ 4883

Date: 24/01/2026

23 JAN 2026

To,

.....
.....

SUBJECT: Inviting quotations for Aura Scanning Device.

Dear Sir/Madam,

Please quote a reasonable price for **Aura Scanning Device**.

The requirement mentioned below should be sealed cover on or before 31 January, 2026, 3pm.

Requirements:

Sr. No	Particular	Quantity
1.	Aura Scanning Device. Specifications: Batteries : 2 9V batteries required. (included) Product Dimensions : 21 x 15 x 21 cm; 6 kg Date First Available : 4 October 2020 Manufacturer : Yes ASIN : B0754KXGFX Item model number : VTASM-002 Item Weight : 6 kg Item Dimensions LxWxH : 21 x 15 x 21 Centimeters Net Quantity : 1.00 Count Included Components : 300 different samples for vastu, gemstone, planets etc, A Pair of Metallic Properties for Distance Scanning, A very handy carry bag for placing all the above, Empty phial for the sample test, One Pair of Most Accurate Universal Aura Scanner Generic Name : Astro Devam Best Brass Universal Aura Scanner Machine - 6000 Gm	1

Terms and Conditions:

1. The rate quoted, shall be valid for 10 days from the opening date.
2. The bill must include amount of taxes and taxes should be mentioned separately.
3. The acceptance of the selected vendor's quotation is subject to the approval of the institute, and it will not be liable to pay the charges for rejected material or services when returned or replaced.
4. The material should be supplied within 9 days from the day or order.
5. The quotation should be sent in sealed envelope mentioning the enquiry letter no., due date and name of COEP Technological University, YEC, Pune.
6. Incomplete quotation, not complying with the above conditions will not be considered.
7. Right to reject any or all the quotations rests with the concerned authorities, COEP Technological University, Pune.
8. No advance will be granted.

HOD, Civil Department
Dr. B. M. Dawari

Ann 01 23